SEQUENCE LISTING

```
<110> EBL GmbH
<120> Method for the production of protamine
<130> Protamine
<140>
<141>
<160> 36
<170> PatentIn Ver. 2.1
<210> 1
<211> 102
<212> DNA
<213> Oncorhynchus mykiss
<220>
<221> CDS
<222> (1)..(99)
<220>
<223> aa sequence derived from ORF of nucleotide
      sequence
<400> 1
atg ccc aga aga cgc aga tcc tcc agc cga cct gtc cgc agg cgc cgc
Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg Arg
 1
                  5
                                                         15
cgc ccc agg gtg tcc cga cgt cgt cgc agg aga ggc cgc agg agg
                                                                  96
Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg Arg
cgt tag
                                                                  102
Arg
<210> 2
<211> 33
<212> PRT
<213> Oncorhynchus mykiss
<223> aa sequence derived from ORF of nucleotide
      sequence
<400> 2
Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg
                          1...
Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg Arg
                                 25
Arq
```

<210> 3

- 2 -

```
<211> 102
<212> DNA
<213> Oncorhynchus mykiss
<220>
<221> CDS
<222> (1)..(99)
<220>
<223> aa sequence derived from ORF of nucleotide
      sequence
<400> 3
atg ccc aga aga cgc aga tcc tcc aga cca cct gtc cgc agg cgc cgc
                                                                 48
Met Pro Arg Arg Arg Ser Ser Arg Pro Pro Val Arg Arg Arg
                                                        15
ege eee agg gtg tee ega egt egt ege agg aga gge ege agg agg
                                                                 96
Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg
cgt tag
                                                                 102
Arg
<210> 4
<211> 33
<212> PRT
<213> Oncorhynchus mykiss
<223> aa sequence derived from ORF of nucleotide
      sequence
<400> 4
Met Pro Arg Arg Arg Ser Ser Arg Pro Pro Val Arg Arg Arg Arg
Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg Arg
Arg
<210> 5
<211> 102
<212> DNA
<213> Oncorhynchus mykiss
<220>
<221> CDS
<222> (1)..(99)
<220>
<223> aa sequence derived from ORF of nucleotide
      sequence
<400> 5
atg ccc aga aga cgc aga tcc tcc aga cga cct gtc cgc agg cgc cgc
Met Pro Arg Arg Arg Ser Ser Arg Arg Pro Val Arg Arg Arg Arg
  1
```

15

```
cgc ccc agg gtg tcc cga cgt cgt cgc agg aga gga ggc cgc agg agg
                                                                 96
Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg Arg
                                                                 102
cgt tag
Arg
<210> 6
<211> 33
<212> PRT
<213> Oncorhynchus mykiss
<220>
<223> aa sequence derived from ORF of nucleotide
      sequence
<400> 6
Met Pro Arg Arg Arg Ser Ser Arg Arg Pro Val Arg Arg Arg Arg
Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg Arg
            20
                                                    30
Arg
<210> 7
<211> 102
<212> DNA
<213> Oncorhynchus mykiss
<220>
<221> CDS
<222> (1)..(99)
<220>
<223> aa sequence derived from ORF of nucleotide
      sequence
<400> 7
atg ccc aga aga cgc aga tcc tct agc cga cct gtc cgc agg cgc cgc
                                                                  48
Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg
ege gee agg gtg tee ega egt ege agg aga gga ege ege agg agg
                                                                  96
Arg Ala Arg Val Ser Arg Arg Arg Arg Arg Gly Arg Arg Arg
            20
                                 25
cgt tag
                                                                  102
Arg
<210> 8
<211> 33
<212> PRT
<213> Oncorhynchus mykiss
<220>
```

<223> aa sequence derived from ORF of nucleotide

```
sequence
<400> 8
Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg
Arg Ala Arg Val Ser Arg Arg Arg Arg Arg Arg Gly Arg Arg Arg Arg
Arg
<210> 9
<211> 102
<212> DNA
<213> Oncorhynchus mykiss
<220>
<221> CDS
<222> (1)..(99)
<220>
<223> aa sequence derived from ORF of nucleotide
     sequence
<400> 9
atg ccc aga aga cgc aga tcc tcc agc cga cct gtc cgc agg cgc cgc
Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg
cgc ccc agg gtg tcc cga cgt cgc agg aga gga cgc cgc agg agg
Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Arg Arg Arg
```

cgt tag
Arg

48

96

<210> 10

<211> 33

<212> PRT

<213> Oncorhynchus mykiss

<220>

<223> aa sequence derived from ORF of nucleotide
 sequence

<400> 10

Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg 1 5 10 15

Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Arg Arg Arg Arg 20 25 30

Arg

<210> 11 <211> 102

- 5 -

```
<212> DNA
<213> Oncorhynchus keta
<220>
<221> CDS
<222> (1)..(99)
<220>
<223> aa sequence derived from ORF of nucleotide
     sequence
<400> 11
atg ccc aga aga cgc aga tcc tcc agc cga cct gtc cgc agg cgc cgc
Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg Arg
cgc cct agg gtg tcc cga cgt cgc agg aga ggc cgc agg agg
                                                                 96
Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg Arg
                                25
cgt tag
                                                                 102
Arg
<210> 12
<211> 33
<212> PRT
<213> Oncorhynchus keta
<220>
<223> aa sequence derived from ORF of nucleotide
      sequence
<400> 12
Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg Arg
Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg
Arg
<210> 13
<211> 102
<212> DNA
<213> Oncorhynchus mykiss
<220>
<221> CDS
<222> (1)..(99)
<220>
<221> misc feature
<222> (54)..(54)
<223> n = a or c or g or t
<223> nucleotide sequence derived from amino acid
      sequence
```

```
<400> 13
atg ccc aga aga cgc aga tcc tcc agc cga cct gtc cgc agg cgc cgc
Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg Arg
cgc gcn agg gtg tcc cga cgt cgt cgc agg aga ggc cgc agg agg
                                                                  96
Arg Ala Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg Arg
                                                                  102
cgt tag
Arg
<210> 14
<211> 33
<212> PRT
<213> Oncorhynchus mykiss
<223> nucleotide sequence derived from amino acid
      sequence
<400> 14
Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg Arg
Arg Ala Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg Arg
Arg
<210> 15
<211> 96
<212> DNA
<213> Oncorhynchus mykiss
<220>
<221> CDS
<222> (1)..(93)
<220>
<221> misc_feature
<222> (21)..(21)
<223> n = a or c or g or t
<220>
<221> misc feature
<222> (30)..(30)
\langle 223 \rangle n = a or c or g or t
<220>
<223> nucleotide sequence derived from amino acid
      sequence
<400> 15
atg ccc aga aga cgc aga gcn agc cga cgn gtc cgc agg cgc cgc cgc
Met Pro Arg Arg Arg Ala Ser Arg Arg Val Arg Arg Arg Arg Arg
                                     10
                                                         15
```

ccc agg gtg tcc cga cgt cgc agg aga ggc cgc agg agg cgt tag

96

Pro Arg Val Ser Arg Arg Arg Arg Gly Gly Arg Arg Arg Arg <210> 16 <211> 31 <212> PRT <213> Oncorhynchus mykiss <220> <223> nucleotide sequence derived from amino acid sequence Met Pro Arg Arg Arg Ala Ser Arg Arg Val Arg Arg Arg Arg Arg 10 Pro Arg Val Ser Arg Arg Arg Arg Gly Gly Arg Arg Arg Arg 25 <210> 17 <211> 96 <212> DNA <213> Oncorhynchus mykiss <220> <221> CDS <222> (1)..(93) <220> <221> misc_feature <222> 21 $\langle 223 \rangle$ n = a or g or c or t <220> <221> misc_feature <222> 30 <223> n = a or g or c or t<220> <223> nucleotide sequence derived from amino acid sequence <400> 17 atg ccc aga aga cgc aga gcn agc cga cgn ath cgc agg cgc cgc cgc Met Pro Arg Arg Arg Ala Ser Arg Arg Ile Arg Arg Arg Arg Arg 1 ccc agg gtg tcc cga cgt cgc agg aga ggc cgc agg agg cgt tag Pro Arg Val Ser Arg Arg Arg Arg Gly Gly Arg Arg Arg <210> 18 <211> 31 <212> PRT <213> Oncorhynchus mykiss

<223> nucleotide sequence derived from amino acid

sequence

```
<400> 18
Met Pro Arg Arg Arg Ala Ser Arg Arg Ile Arg Arg Arg Arg Arg
Pro Arg Val Ser Arg Arg Arg Arg Gly Gly Arg Arg Arg Arg
                                25
<210> 19
<211> 102
<212> DNA
<213> Oncorhynchus mykiss
<220>
<221> CDS
<222> (1)..(99)
<223> nucleotide sequence derived from amino acid
      sequence
<400> 19
atg ccc aga aga cgc aga aga tcc tcc agc cga cct ath cgc agg cgc
                                                                 48
Met Pro Arg Arg Arg Arg Ser Ser Ser Pro Ile Arg Arg Arg
                                    10
cgc cgc ccc agg gtg tcc cga cgt cgc agg aga gga ggc cgc agg agg
                                                                 96
Arg Arg Pro Arg Val Ser Arg Arg Arg Arg Gly Gly Arg Arg Arg
             20
                                25
cgt tag
                                                                 102 -
Arg
<210> 20
<211> 33
<212> PRT
<213> Oncorhynchus mykiss
<220>
<223> nucleotide sequence derived from amino acid
      sequence
<400> 20
Met Pro Arg Arg Arg Arg Ser Ser Ser Arg Pro Ile Arg Arg
Arg Arg Pro Arg Val Ser Arg Arg Arg Arg Gly Gly Arg Arg Arg
             20
Arg
<210> 21
<211> 96
```

<220>

<212> DNA

<213> Clupea harengus

- 9 -

```
<221> CDS
<222> (1)..(93)
<220>
<221> misc_feature
<222> 27
<223> n = a or g or c or t
<220>
<223> nucleotide sequence derived from amino acid
<400> 21
atg ccc aga aga cgc acc aga cgc gcn agc cga cct gtc cgc agg cgc
                                                                  48
Met Pro Arg Arg Arg Thr Arg Arg Ala Ser Arg Pro Val Arg Arg
cgc ccc agg cgc gtg tcc cga cgt cgt cgc gca cgc cgc agg agg tag
                                                                  96
Arg Pro Arg Arg Val Ser Arg Arg Arg Arg Ala Arg Arg Arg
                                 25
                                                     30
<210> 22
<211> 31
<212> PRT
<213> Clupea harengus
<220>
<223> nucleotide sequence derived from amino acid
      sequence
<400> 22
Met Pro Arg Arg Thr Arg Arg Ala Ser Arg Pro Val Arg Arg Arg
Arg Pro Arg Arg Val Ser Arg Arg Arg Arg Ala Arg Arg Arg
             20
                                 25
<210> 23
<211> 99
<212> DNA
<213> Clupea harengus
<220>
<221> CDS
<222> (1)..(96)
<220>
<221> misc_feature
<222> 30
<223> n = a or g or c or t
<223> nucleotide sequence derived from amino acid
      sequence
atg gee aga aga ege aga age aga ege gen age ega eet gte ege agg
Met Ala Arg Arg Arg Ser Arg Arg Ala Ser Arg Pro Val Arg Arg
                                     10
```

cgc cgc ccc agg cgc gtg tcc cga cgt cgt cgc gca cgc cgc agg agg 96 Arg Arg Pro Arg Arg Val Ser Arg Arg Arg Ala Arg Arg Arg Arg tag 99 <210> 24 <211> 32 <212> PRT <213> Clupea harengus <223> nucleotide sequence derived from amino acid sequence <400> 24 Met Ala Arg Arg Arg Ser Arg Arg Ala Ser Arg Pro Val Arg Arg Arg Arg Pro Arg Arg Val Ser Arg Arg Arg Ala Arg Arg Arg Arg 20 25 <210> 25 <211> 99 <212> DNA <213> Clupea harengus <220> <221> CDS <222> (1)..(96) <220> <223> nucleotide sequence derived from amino acid sequence <400> 25 atg gcc aga aga cgc aga tcc tcc agc cga cct ath cgc agg cgc cgc 48 Met Ala Arg Arg Arg Ser Ser Ser Arg Pro Ile Arg Arg Arg Arg ccc agg cgc cgg acc aca cgt cgt cgc agg gca ggc cgc agg agg cgt Pro Arg Arg Arg Thr Thr Arg Arg Arg Ala Gly Arg Arg Arg Arg tag 99 <210> 26 <211> 32 <212> PRT <213> Clupea harengus <220> <223> nucleotide sequence derived from amino acid sequence <400> 26 Met Ala Arg Arg Arg Ser Ser Ser Arg Pro Ile Arg Arg Arg Arg

Pro Arg Arg Arg Thr Thr Arg Arg Arg Arg Ala Gly Arg Arg Arg Arg 20 25 30

```
<210> 27
<211> 111
<212> DNA
<213> Artificial Sequence
<220>
<221> misc_feature
<222> 30
\langle 223 \rangle n = a or g or c or t
<223> Description of Artificial Sequence: consensus 1
<400> 27
atgsccagaa gacgcagaas cagaysckcn agmcsacstr thcgcaggcg ccgccgcscy 60
aggcgcskgw ccmsacgtcg tcgcaggaga gsasgccgca ggaggcgtta g
<210> 28
<211> 102
<212> DNA
<213> Artificial Sequence
<220>
<221> misc_feature
<222> 9
<223> n = a or g or c or t
<220>
<221> misc_feature
<222> 12
<223> n = a or g or c or t
<220>
<221> misc_feature
<222> 18
\langle 223 \rangle n = a or g or c or t
<220>
<221> misc_feature
<222> 42
<223> n = a or g or c or t
<220>
<221> misc_feature
<222> 57
\langle 223 \rangle n = a or g or c or t
<220>
<221> misc_feature
<222> 78
\langle 223 \rangle n = a or g or c or t
<220>
<221> misc_feature
<222> 81
```

<223> n = a or g or c or t

```
<220>
<221> misc_feature
<222> 93
<223> n = a or g or c or t
<220>
<221> misc feature
<222> 96
<223> n = a or g or c or t
<220>
<223> Description of Artificial Sequence: consensus 2
<400> 28
atgeccegne gnegcegnte etccageega cetgteegee gnegcegeeg ecceegngtg 60
tcccgacgtc gtcgccgncg nggaggccgc cgncgncgtt ag
                                                                  102
<210> 29
<211> 102
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: consensus 3
atgccgcggc gccgccggtc gtcgagccgc ccggtgcgtc gccggcgccg cccgcgggtc 60
tegegeegee geeggeege eggegeeget ga
<210> 30
<211> 102
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence: consensus 4
<400> 30
atgccgcgcc gtcgccgtag ctcgagccgt ccggtgcgtc gccgtcgccg tccccgtgtc 60
agccgccgcc gccgtcgccg cggcggacgc cgtcgccgtt ga
<210> 31
<211> 102
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: consensus 5
<400> 31
atgccgcggc gtcggcgcag ctccagccgt ccagtgcggc gccgtcgccg cccccgtgtc 60
tegegeegee geeggegeeg eggeggaege egtegeeggt ga
<210> 32
<211> 102
<212> DNA
<213> Artificial Sequence
```

<220>

· · ., · · .

<220>

```
<223> Description of Artificial Sequence: ebl 1
<400> 32
atgccgcggc gtcggcgtag ctccagccgt ccagtgcgtc gccgtcgccg cccccgtgtc 60
tegegeegee geeggegeeg eggeggaege egtegeegtt ga
<210> 33
<211> 36
<212> PRT
<213> Artificial Sequence
<220>
<221> misc_feature
<222> 1
<223> X= zero or M
<220>
<221> misc_feature
<222> 2
<223> X= A or P
<220>
<221> misc_feature
<222> 6
<223> X= zero or R
<220>
<221> misc_feature
<222> 7
<223> X=zero or T or S
<220>
<221> misc_feature
<222> 8
<223> X= zero or R
<220>
<221> misc_feature
<222> 9
<223> X=zero or R or S
<220>
<221> misc_feature
<222> 10
<223> X= S or A
<220>
<221> misc_feature
<222> 11
<223> X= S or R
<220>
<221> misc feature
<222> 12
<223> X= R or P
<220>
<221> misc_feature
<222> 13
<223> X= P or R
```

```
<221> misc_feature
<222> 14
<223> X= V or I
<220>
<221> misc_feature
<222> 19
<223> X= zero or R
<220>
<221> misc_feature
<222> 20
<223> X= P or A
<220>
<221> misc_feature
<222> 22
<223> X= zero or R
<220>
<221> misc_feature
<222> 23
<223> X= V or R
<220>
<221> misc_feature
<222> 24
<223> X= S or T
<220>
<221> misc_feature
<222> 25
<223> X= R or T
<220>
<221> misc_feature
<222> 29
<223> X= zero or R
<220>
<221> misc_feature
<222> 30
<223> X= zero or R
<220>
<221> misc_feature
<222> 31
<223> X= G or A
<220>
<221> misc_feature
<222> 32
<223> X= G or R
<220>
<221> misc_feature
<222> 36
<223> X= zero or R
<220>
<223> Description of Artificial Sequence: consensus
      sequence
```

• • • • •

<400> 33

```
Xaa Xaa Arg Arg Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg Arg
Arg Arg Xaa Xaa Xaa Xaa Xaa Xaa Arg Arg Arg Xaa Xaa Xaa
             20
                                 25
Arg Arg Arg Xaa
         35
<210> 34
<211> 227
<212> DNA
<213> Artificial Sequence
<220>
<221> CDS
<222> (43)..(108)
<220>
<221> CDS
<222> (109)..(207)
<220>
<223> Description of Artificial Sequence: cloning
      sequence for expression of Protamine
<220>
<221> sig_peptide
<222> (43)..(108)
<223> pelB gene
<220>
<221> misc_feature
<222> (1)..(6)
<223> XbaI restriction site
<220>
<221> misc_feature
<222> (222)..(227)
<223> Bam HI restriction site
<220>
<221> RBS
<222> (28)..(33)
<223> IRES sequence
<220>
<221> gene
<222> (109)..(207)
<223> ebl 1 gene
<400> 34
tctagaaata attttgttta actttaagaa ggagatatac at atg aaa tac ctg
                                                                  54
                                               Met Lys Tyr Leu
                                                 1
ctg ccg acc gct gct gct ctg ctg ctc ctc gct gcc cag ccg gcg
                                                                  102
Leu Pro Thr Ala Ala Ala Gly Leu Leu Leu Ala Ala Gln Pro Ala
                     10
                                         15
atg gcc atg ccg cgt cgg cgt agc tcc agc cgt cca gtg cgt cgc
```

Met Ala Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg 198 Arg Arg Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Arg Gly Gly Arg cgt cgc cgt tgaggaatta attcggatcc 227 Arg Arg Arg <210> 35 <211> 22 <212> PRT <213> Artificial Sequence <220> <223> Description of Artificial Sequence: cloning sequence for expression of Protamine <400> 35 Met Lys Tyr Leu Leu Pro Thr Ala Ala Gly Leu Leu Leu Leu Ala 10 Ala Gln Pro Ala Met Ala 20 <210> 36 <211> 33 <212> PRT <213> Artificial Sequence <220> <223> Description of Artificial Sequence: cloning sequence for expression of Protamine <400> 36 Met Pro Arg Arg Arg Ser Ser Ser Arg Pro Val Arg Arg Arg Arg 10 Arg Pro Arg Val Ser Arg Arg Arg Arg Arg Gly Gly Arg Arg Arg

Arg